

Overview

- Fire retardant ABS housing.
- 9" tinted acrylic dome cover.
- Optional heater and fan to maintain working temperature.
- Build-in fan & heater make sure the mechanism works in a certain temperature. (Optional)
- Wall mounts bracket or pendant mount bracket selectable.
- Internal support camera or adjustment for speed dome and network camera.



***Adaptors***


	Models
AXIS	213, 213OR、214、231D、232D、233D
CANON	VB-C50IR、VB-C50I
GANZ	ZC-S122P、ZC-S123P、ZC-PT223N、ZN-PT304
JVC	TK-C676、VN-C655、VN-C625U
PANASONIC	BB-HCE481、BB-HCM381、BB-HCM403、WV-CS320、WV-CS570、WV-CS574、WV-CS850、WV-CS950、WV-CS954、WV-NS202A、WV-NS320、WV-NS324、WV-NW484S、WV-VS850
SAMSUNG	SPD-1000、SPD-1600P、SPD-2300、SPD-3000、SPD-3300
SANYO	9300P、9400P
SONY	SNC-RZ30P、EVI-D70P/W、SNC-RZ25P

Technical Data


ENVIRONMENT
Fan : 40°C ON , 30°C OFF
Heater : 5°C ON , 15°C OFF
In 12V DC , Consumption 12W Max.
COMPLIANCE TO
IP65 According to IP91108 (Issue Date : AUGE-27-2002)
ACCESSORIES
P1230 EN Power Supply in 12V DC for En
P1230 USA Power Supply in 12V DC for USA
P1230 EU Power Supply in 12V DC for EU
P1230 JP Power Supply in 12V DC for JAPAN
Fan Assisted Heater in 3A DC

Related Products


FC-9001 Wall Mount	C603 Metal Parts
FC-9004 Pendant Mount	C700 Metal Parts
FC-9008 Corner Adapter for VT-9001	C701 Metal Parts
FC-1230 Power Adaptor	C702 Metal Parts
	C703 Metal Parts




Dimensions




External Dimensions




External Dimensions




External Dimensions




For Network Camera & Speed Dome




C700 Metal Parts




C701 Metal Parts




C702 Metal Parts



C703 Metal Parts



For Fixed Camera



C603 Metal Parts

